

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 2 of 14

Attorney's Docket No.: 07844-357001 / P333

RECEIVED  
CENTRAL FAX CENTER  
AUG 23 2006

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Canceled)
2. (Currently Amended) A computer-implemented method comprising: The method of claim 1,  
further comprising:  
identifying a first device color profile associated with an output device;  
automatically selecting a rendering intent from a plurality of rendering intents based on  
the color characteristics of the output device, the color characteristics being defined by the first  
device color profile;  
receiving input data;  
identifying an emulation device, the emulation device being different from the output  
device, the emulation device having a second device color profile different from the first device  
color profile;  
generating output data by transforming the input data using the second device color  
device profile as a target device color profile, the first device profile as a source device color  
profile, and the selected rendering intent; and  
sending the output data to the emulation device.
3. (Previously Presented) The method of claim 5, wherein the output device is a printing press.
4. (Cancelled)
5. (Currently Amended) A computer-implemented method comprising: The method of claim 1,  
further comprising:

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 3 of 14

Attorney's Docket No.: 07844-357001 / P333

identifying a first device color profile associated with an output device;  
automatically selecting a rendering intent from a plurality of rendering intents based on  
the color characteristics of the output device, the color characteristics being defined by the first  
device color profile;

determining from the first device color profile a minimum luminance the output device can produce; and

selecting the rendering intent based on a comparison of the minimum luminance to one or more predefined thresholds.

6. (Previously Presented) The method of claim 5, wherein selecting one of a plurality of rendering intents comprises:

selecting a first rendering intent when the minimum luminance exceeds a predefined threshold; and

selecting a second rendering intent otherwise.

7. (Original) The method of claim 6, wherein:

selecting a first rendering intent includes selecting a perceptual rendering intent; and  
selecting a second rendering intent includes selecting a colorimetric rendering intent.

8. (Previously Presented) The method of claim 7, further comprising:

receiving input data from a graphic arts application;  
generating output data using the input data and the selected rendering intent; and  
sending the output data to a proofing printer, the proofing printer having a device color profile different from the first device color profile.

9. (Original) The method of claim 6, wherein selecting a first rendering intent includes selecting a composite rendering intent.

10. (Original) The method of claim 6, wherein selecting a second rendering intent includes selecting a composite rendering intent.

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 4 of 14

Attorney's Docket No.: 07844-357001 / P333

11. (Currently Amended) A computer-implemented method comprising: The method of claim 1, further comprising:

identifying a first device color profile associated with an output device;

automatically selecting a rendering intent from a plurality of rendering intents based on the color characteristics of the output device, the color characteristics being defined by the first device color profile; and

identifying an emulation device color profile associated with an emulation device, the emulation device color profile being different from the first device color profile;

wherein automatically selecting a rendering intent further comprises selecting the rendering intent based on the emulation device color profile.

12. (Previously Presented) The method of claim 11, wherein the emulation device is a device to generate output of an emulation of the output device.

13. (Previously Presented) The method of claim 12, wherein the output device is a printing press and the emulation device is a proofing printer, the method further comprising:

receiving a selection indicative of the printing press color profile; and

receiving a selection indicative of the proofing printer color profile.

14. (Original) The method of claim 13, further comprising:

selecting a first rendering intent when the difference between a minimum luminance the printing press can produce and a minimum luminance the proofing printer can produce exceeds a predefined value; and

selecting a second rendering intent otherwise.

15. (Original) The method of claim 14, wherein:

selecting a first rendering intent includes selecting a perceptual rendering intent; and

selecting a second rendering intent includes selecting a colorimetric rendering intent.

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 5 of 14

Attorney's Docket No.: 07844-357001 / P333

16. (Original) The method of claim 14, wherein selecting a first rendering intent includes selecting a composite rendering intent.
17. (Original) The method of claim 14, wherein selecting a second rendering intent includes selecting a composite rendering intent.
18. (Original) The method of claim 13, further comprising:  
selecting a first rendering intent when a color gamut of the printing press is substantially contained within a color gamut of the proofing printer; and  
selecting a second rendering intent otherwise.
19. (Original) The method of claim 18, wherein:  
selecting a first rendering intent includes selecting a perceptual rendering intent; and  
selecting a second rendering intent includes selecting a colorimetric rendering intent.
20. (Original) The method of claim 18, wherein selecting a first rendering intent includes selecting a composite rendering intent.
21. (Original) The method of claim 18, wherein selecting a second rendering intent includes selecting a composite rendering intent.
22. (Canceled)
23. (Currently Amended) An apparatus comprising: The apparatus of claim 22, further comprising:  
\_\_\_\_\_ means for identifying a first device color profile associated with an output device;  
\_\_\_\_\_ means for automatically selecting a rendering intent from a plurality of rendering intents based on the color characteristics of the output device, the color characteristics being defined by the first device color profile;  
means for receiving input data;

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 6 of 14

Attorney's Docket No.: 07844-357001 / P333

means for identifying an emulation device, the emulation device being different from the output device, the emulation device having a second device color profile different from the first device color profile; and

means for generating output data by transforming the input data using the second device color device profile as a target device color profile, the first device profile as a source device color profile, and the selected rendering intent.

24. (Previously Presented) The apparatus of claim 26; wherein the output device is a printing press.

25. (Cancelled)

26. (Currently Amended) An apparatus comprising: The apparatus of claim 22, further comprising:

means for identifying a first device color profile associated with an output device;

means for automatically selecting a rendering intent from a plurality of rendering intents based on the color characteristics of the output device, the color characteristics being defined by the first device color profile;

means for determining from the first device color profile a minimum luminance the output device can produce; and

means for automatically selecting the rendering intent based on a comparison of the minimum luminance to one or more predefined thresholds.

27. (Previously Presented) The apparatus of claim 26, wherein the means for selecting one of a plurality of rendering intents comprises:

means for selecting a first rendering intent when the minimum luminance exceeds a predefined threshold; and

means for selecting a second rendering intent otherwise.

28. (Original) The apparatus of claim 27, wherein:

Applicant Peter S. MacLeod  
Serial No. 09/653,053  
Filed September 1, 2000  
Page 7 of 14

Attorney's Docket No.: 07844-357001 / P333

the means for selecting a first rendering intent includes means for selecting a perceptual rendering intent; and

the means for selecting a second rendering intent includes means for selecting a colorimetric rendering intent.

29. (Previously Presented) The apparatus of claim 28, further comprising:

means for receiving input data from a graphic arts application;

means for generating output data using the input data and a selected rendering intent; and

means for sending the output data to the proofing printer, the proofing printer having a device color profile different from the first device color profile.

30. (Original) The apparatus of claim 27, wherein the means for selecting a first rendering intent includes means for selecting a composite rendering intent.

31. (Original) The apparatus of claim 27, wherein the means for selecting a second rendering intent includes means for selecting a composite rendering intent.

32. (Currently Amended) An apparatus comprising: The apparatus of claim 22, further comprising:

means for identifying a first device color profile associated with an output device;

means for automatically selecting a rendering intent from a plurality of rendering intents based on the color characteristics of the output device, the color characteristics being defined by the first device color profile; and

means for identifying an emulation device color profile associated with an emulation device, the emulation device color profile being different from the first device color profile;

wherein the means for automatically selecting a rendering intent further comprises means for selecting the rendering intent based on the emulation device color profile.

33. (Previously Presented) The apparatus of claim 32, wherein the emulation device is a device to generate output of an emulation of the output device.

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 8 of 14

Attorney's Docket No.: 07844-357001 / P333

34. (Previously Presented) The apparatus of claim 33, wherein the output device is a printing press and the emulation device is a proofing printer, the apparatus further comprising:

means for receiving a selection indicative of the printing press color profile; and  
means for receiving a selection indicative of the proofing printer color profile.

35. (Original) The apparatus of claim 34, further comprising:

means for selecting a first rendering intent when the difference between a minimum luminance the printing press can produce and a minimum luminance the proofing printer can produce exceeds a predefined value; and

means for selecting a second rendering intent otherwise.

36. (Original) The apparatus of claim 35, wherein:

the means for selecting a first rendering intent includes means for selecting a perceptual rendering intent; and

the means for selecting a second rendering intent includes means for selecting a colorimetric rendering intent.

37. (Original) The apparatus of claim 35, wherein the means for selecting a first rendering intent includes means for selecting a composite rendering intent.

38. (Original) The apparatus of claim 35, wherein the means for selecting a second rendering intent includes means for selecting a composite rendering intent.

39. (Original) The apparatus of claim 34, further comprising:

means for selecting a first rendering intent when a color gamut of the printing press is substantially contained within a color gamut of the proofing printer; and

means for selecting a second rendering intent otherwise.

40. (Original) The apparatus of claim 39, wherein:

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 9 of 14

Attorney's Docket No.: 07844-357001 / P333

the means for selecting a first rendering intent includes means for selecting a perceptual rendering intent; and

the means for selecting a second rendering intent includes means for selecting a colorimetric rendering intent.

41. (Original) The apparatus of claim 39, wherein the means for selecting a colorimetric rendering intent includes means for selecting a composite rendering intent.

42. (Original) The apparatus of claim 39, wherein the means for selecting a perceptual rendering intent includes means for selecting a composite rendering intent.

43. (Canceled)

44. (Currently Amended) A computer program product, tangibly embodied on a computer-readable medium, the product comprising instructions operable to cause a processor to: ~~The computer program product of claim 43, further comprising instructions operable to cause a processor to:~~

identify a first device color profile associated with an output device;  
automatically select a rendering intent from a plurality of rendering intents based on the color characteristics of the output device, the color characteristics being defined by the first device color profile;

receive input data;

identify an emulation device, the emulation device being different from the output device, the emulation device having a second device color profile different from the first device color profile;

generate output data by transforming the input data using the second device color device profile as a target device color profile, the first device profile as a source device color profile, and the selected rendering intent; and

send the output data to the emulation device.



Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 10 of 14

Attorney's Docket No.: 07844-357001 / P333

45. (Previously Presented) The computer program product of claim 47, wherein the output device is a printing press.

46. (Cancelled)

47. (Currently Amended) A computer program product, tangibly embodied on a computer-readable medium, the product comprising instructions operable to cause a processor to: The computer program product of claim 43, further comprising instructions to:

identify a first device color profile associated with an output device;

automatically select a rendering intent from a plurality of rendering intents based on the color characteristics of the output device, the color characteristics being defined by the first device color profile;

determine from the first device color profile a minimum luminance the output device can produce; and

select the rendering intent based on a comparison of the minimum luminance to one or more predefined thresholds.

48. (Previously Presented) The computer program product of claim 47, wherein the instructions to select one of a plurality of rendering intents further comprise:

instructions to select a first rendering intent when the minimum luminance exceeds a predefined threshold; and

instructions to select a second rendering intent otherwise.

49. (Original) The computer program product of claim 48, wherein:

the instructions to select a first rendering intent include instructions to select a perceptual rendering intent; and

the instructions to select a second rendering intent include instructions to select a colorimetric rendering intent.

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 11 of 14

Attorney's Docket No.: 07844-357001 / P333

50. (Previously Presented) The computer program product of claim 49, further comprising instructions to:

receive input data from a graphic arts application;

generate output data using the input data and a selected rendering intent; and

send the output data to the proofing printer, the proofing printer having a device color profile different from the first device color profile.

51. (Previously Presented) The computer program product of claim 48, wherein the instructions to select a first rendering intent include instructions to select a composite rendering intent.

52. (Previously Presented) The computer program product of claim 48, wherein the instructions to select a second rendering intent include instructions to select a composite rendering intent.

53. (Currently Amended) A computer program product, tangibly embodied on a computer-readable medium, the product comprising instructions operable to cause a processor to: ~~The computer program product of claim 43, further comprising instructions to:~~

identify a first device color profile associated with an output device;

automatically select a rendering intent from a plurality of rendering intents based on the color characteristics of the output device, the color characteristics being defined by the first device color profile; and

identify an emulation device color profile associated with an emulation device, the emulation device color profile being different from the first device color profile;

wherein the instructions to automatically select the rendering intent further comprise instructions to select a rendering intent based on the emulation device color profile.

54. (Previously Presented) The computer program product of claim 53, wherein the emulation device is a device to generate output of an emulation of the output device.

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 12 of 14

Attorney's Docket No.: 07844-357001 / P333

55. (Previously Presented) The computer program product of claim 54, wherein the output device is a printing press and the emulation device is a proofing printer, the computer program product further comprising instructions to:

- receive a selection indicative of the printing press color profile; and
- receive a selection indicative of the proofing printer color profile.

56. (Original) The computer program product of claim 55, further comprising instructions to:

- select a first rendering intent when the difference between a minimum luminance the printing press can produce and a minimum luminance the proofing printer can produce exceeds a predefined value; and

- select a second rendering intent otherwise.

57. (Original) The computer program product of claim 56, wherein:

- the instructions to select a first rendering intent include instructions to select a perceptual rendering intent; and

- the instructions to select a second rendering intent include instructions to select a colorimetric rendering intent.

58. (Previously Presented) The computer program product of claim 56, wherein the instructions to select a first rendering intent include instructions to select a composite rendering intent.

59. (Original) The computer program product of claim 56, wherein the instructions to select a second rendering intent include instructions to select a composite rendering intent.

60. (Previously Presented) The computer program product of claim 55, further comprising instructions to:

- select a first rendering intent when a color gamut of the printing press is substantially contained within a color gamut of the proofing printer; and

- select a second rendering intent otherwise.

Applicant : Peter S. MacLeod  
Serial No. : 09/653,053  
Filed : September 1, 2000  
Page : 13 of 14

Attorney's Docket No.: 07844-357001 / P333

61. (Original) The computer program product of claim 60, wherein:

the instructions to select a first rendering intent include instructions to select a perceptual rendering intent; and

the instructions to select a second rendering intent include instructions to select a colorimetric rendering intent.

62. (Previously Presented) The computer program product of claim 60, wherein the instructions to select a first rendering intent include instructions to select a composite rendering intent.

63. (Previously Presented) The computer program product of claim 60, wherein the instructions to select a second rendering intent include instructions to select a composite rendering intent.